

Kansas Agricultural Experiment Station Research Reports

Volume 0
Issue 10 *Swine Day (1968-2014)*

Article 312

1985

Effect of weekly temperature reduction on nursery pig performance

David A. Nichols

M Johnston

Frank Blecha

See next page for additional authors

Follow this and additional works at: <https://newprairiepress.org/kaesrr>



Part of the [Other Animal Sciences Commons](#)

Recommended Citation

Nichols, David A.; Johnston, M; Blecha, Frank; and Murphy, James P. (1985) "Effect of weekly temperature reduction on nursery pig performance," *Kansas Agricultural Experiment Station Research Reports*: Vol. 0: Iss. 10. <https://doi.org/10.4148/2378-5977.6152>

This report is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Kansas Agricultural Experiment Station Research Reports by an authorized administrator of New Prairie Press. Copyright 1985 the Author(s). Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. Brand names appearing in this publication are for product identification purposes only. No endorsement is intended, nor is criticism implied of similar products not mentioned. K-State Research and Extension is an equal opportunity provider and employer.



Effect of weekly temperature reduction on nursery pig performance

Authors

David A. Nichols, M Johnston, Frank Blecha, and James P. Murphy

K**EFFECT OF WEEKLY TEMPERATURE REDUCTION ON
NURSERY PIG PERFORMANCE****S**David A. Nichols, Mike Johnston, Frank Blecha,¹
and J. Pat Murphy**U**

Summary

A total of 64 pigs were used to evaluate the effect of weekly temperature reductions. No differences were observed between treatments for average daily feed intake, daily gain, or feed efficiency. Pigs exposed to cooler temperatures during weeks 3 and 4 tended to consume more feed than those housed at 92 F for the entire period.

Introduction

The weaned pig requires a very warm, draft-free environment. As the pig recovers from the stress of weaning, temperature demands may decrease. This study was conducted to evaluate the effect of weekly temperature reduction on pig performance.

Procedures

Two groups of 32 pigs each were used to evaluate the influence of weekly temperature reductions. Pigs were weaned at 28 days and assigned to one of two treatments. Pigs were assigned to: 1) a constant temperature of 92° F for 28 days or 2) a temperature regime of week 1, 83°F; week 2, 74°; week 3, 65°; and week 4, 56°.

In both trials, pigs were housed at 92 F for 5 days after weaning. Pigs were then weighed and temperature reduction treatments were imposed for the 28-day feeding period. Pigs were housed in environmentally controlled (continuous light 24 hr/day) rooms (four pigs/pen) with plastic-coated expanded metal floors. All pigs were fed a pelleted milo-soybean meal diet containing 1.25% lysine. Pigs were weighed weekly and gain, feed intake, and feed efficiency were measured.

Results and Discussion

Average daily feed intake, daily gain, and feed efficiency were not affected by weekly temperature reduction (Table 1). Pigs housed at 65 and 56 F tended to consume more feed and have higher feed to gain ratios than control. Average daily gain significantly increased each week. Average daily feed was significantly higher during week 2 than week 1 for both treatment groups. Pigs consumed more feed during week 3 than week 4 at both housing temperatures. Mortality and incidence of scours were similar for all treatment groups.

¹Dept. of Anatomy and Physiology.

Table 1. Effect of Weekly Temperature Reduction on Pig Performance (Trials 1 and 2).

Week and Temperature	Daily Feed Intake (lb) ^a	Average Daily Gain (lb) ^a	F/G
Week 1			
Control (92 F)	.66	.50	1.32
Treatment (83 F)	.62	.44	1.41
Week 2			
Control (92 F)	1.53	.93	1.64
Treatment (74 F)	1.27	.90	1.44
Week 3			
Control (92 F)	1.59	1.02	1.57
Treatment (65 F)	1.83	1.07	1.71
Week 4			
Control (92 F)	2.10	1.25	1.68
Treatment (56 F)	2.41	1.27	1.90
Overall			
Control	1.47	.93	1.55
Treatment	1.53	.92	1.62

^aWeek effect (P<.05).