

Kansas Agricultural Experiment Station Research Reports

Volume 0
Issue 1 *Cattleman's Day (1993-2014)*

Article 1316

1976

Effects of growth promoting implants gains of nursing calves

L. Corah

K. Kimple

M. McKee

See next page for additional authors

Follow this and additional works at: <https://newprairiepress.org/kaesrr>



Part of the [Other Animal Sciences Commons](#)

Recommended Citation

Corah, L.; Kimple, K.; McKee, M.; and Riley, Jack G. (1976) "Effects of growth promoting implants gains of nursing calves," *Kansas Agricultural Experiment Station Research Reports*: Vol. 0: Iss. 1. <https://doi.org/10.4148/2378-5977.2719>

This report is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Kansas Agricultural Experiment Station Research Reports by an authorized administrator of New Prairie Press. Copyright 1976 the Author(s). Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. Brand names appearing in this publication are for product identification purposes only. No endorsement is intended, nor is criticism implied of similar products not mentioned. K-State Research and Extension is an equal opportunity provider and employer.



Effects of growth promoting implants gains of nursing calves

Authors

L. Corah, K. Kimple, M. McKee, and Jack G. Riley

K**S****U**

Effects of Growth Promoting Implants on Gains of Nursing Calves

Larry Corah, J. G. Riley, K. Kimple, M. McKee

Summary

Both steer and heifer calves gained significantly ($P < .05$) faster on summer pasture with growth-promoting implants than calves not implanted. Ralgro, Synovex-S, and Synovex-H were tested, with no significant advantage for one implant type.

Introduction

Because the availability of DES is uncertain, we evaluated--Synovex-S, Synovex-H, and Ralgro, all DES alternatives, for promoting growth of suckling calves.

Experimental Procedure

Eighty spring steer and heifer calves were divided into three groups for the tests. Calves nursed their mothers the summer of 1975 while grazing on native grass near Manhattan. The growth promoting products were implanted the week before cattle went to grass. They consisted of the standard Synovex-S^a and Synovex-H^a (for steers and heifers, respectively) and 36 mg. of Ralgro^b (used in both steers and heifers). Control calves were not implanted. Thirty Hereford steers, 25 Hereford heifers, and 25 part Simmental heifers were studied. Allotments to treatments are listed in table 9.1.

All calves were weighed May 2 and put on grass May 3. Calves were weaned from their mothers and weighed November 14. Weight gains for the summer were for 194 days (May 2 to November 14).

Results and Discussion

Steers implanted with Ralgro and Synovex-S gained significantly more ($P < .05$) than control steers (table 9.1). Similarly, heifers implanted with Synovex-S and Ralgro gained significantly ($P < .05$) more than control heifers. There was no significant difference between calves implanted

^a Synovex-S and Synovex-H provided by Myzon Laboratories, Inc., Des Moines, Iowa.

^b Ralgro provided by Commercial Solvents Corp., Terre Haute, Ind.

with Ralgro or Synovex. Implanted steers had a 34 lb. gain advantage over the control steers and implanted heifers, a 17 lb. advantage over control heifers.

Trial results compare favorably with work at other stations testing implant performances.

Table 9.1 Gains by nursing calves implanted with indicated products, May 2 - Nov. 14, 1975.

Implant	No. of animals		Average heifer gain, lbs.	Average steer gain, lbs.	Difference between control & implanted			
	Heifers	steers			Heifers lbs.	%	Steers lbs.	%
Control	16	10	270.1	232.4	---	---	---	---
Ralgro ¹	16	11	287.7	265.6	17.6	6.5	33.2	14.3
Synovex ²	18	9	287.2	268.4	17.1	6.3	36.0	15.5

¹ 36 mg. Ralgro for both steer and heifer calves.

² Heifer calves received Synovex-H.
Steer calves received Synovex-S.